		10 1 7	1.22	
L Numb		Search Text	DB	Time stamp
1	7	(("6122640" "6519613" "6411964" "6144970"	USPAT	2003/02/20 10:50
		"6026412" "6070170" "6460048").pn.)		0000/00/00
2	3	((("6122640" "6519613" "6411964" "6144970"	USPAT	2003/02/20 11:27
		"6026412" "6070170" "6460048").pn.)) and		
_		(error or warning)		0000 (00 (00 00 00
3	1	"6026412" and rba	USPAT	2003/02/20 11:42
4	9336	(lock\$3 with (warning or error))	USPAT	2003/02/20 11:42
5	77767	database or (data adj base)	USPAT	2003/02/20 14:47
6	618	((lock\$3 with (warning or error))) and	USPAT	2003/02/20 11:43
		(database or (data adj base))		
8	418	(reorganiz\$5 with (table or database or	USPAT	2003/02/20 16:06
	_	object or (data adj base)))		000040040040
9	0	((((lock\$3 with (warning or error))) and	USPAT	2003/02/20 11:45
		(database or (data adj base))) and		
		(707/\$.ccls.)) and ((reorganiz\$5 with	Į.	
		(table or database or object or (data adj		
		base))))		
10	0	(((lock\$3 with (warning or error))) and	USPAT	2003/02/20 11:45
		(database or (data adj base))) and	İ	
		((reorganiz\$5 with (table or database or		
		object or (data adj base))))		
7	99	(((lock\$3 with (warning or error))) and	USPAT	2003/02/20 13:03
		(database or (data adj base))) and		
		(707/\$.ccls.)		
11	1	6070170.pn. and lock\$3	USPAT	2003/02/20 13:55
12	17	(US-5721915-\$ or US-6411964-\$ or	USPAT	2003/02/20 14:05
		US-6070170-\$ or US-6026412-\$ or		
		US-5963959-\$ or US-6272486-\$ or		1
		US-6178423-\$ or US-6105038-\$ or		
		US-6477535-\$ or US-6343296-\$ or	r .	
		US-6122641-\$ or US-6226650-\$ or		
		US-5797137-\$ or US-5295256-\$ or		
		US-5109515-\$ or US-5297279-\$ or		
		US-5506983-\$).did.		
13	3	((((lock\$3 with (warning or error))) and	USPAT	2003/02/20 14:44
		(database or (data adj base))) and		
		(707/\$.ccls.)) and ((US-5721915-\$ or		1
		US-6411964-\$ or US-6070170-\$ or		
		US-6026412-\$ or US-5963959-\$ or		
		US-6272486-\$ or US-6178423-\$ or		
ĺ		US-6105038-\$ or US-6477535-\$ or		
		US-6343296-\$ or US-6122641-\$ or		Ť.
		US-6226650-\$ or US-5797137-\$ or		
	45	US-5295256-\$ or US-5109515-\$ or		1
	1 1	US-5297279-\$ or US-5506983-\$).did.)		1
14	81902	(new or shadow or reorganized) near (table	USPAT	2003/02/20 14:46
		or object or database or (data adj base))		
15	10202	707/\$.ccls.	USPAT	2003/02/20 14:46
16	1719	((new or shadow or reorganized) near	USPAT	2003/02/20 14:46
		(table or object or database or (data adj		
4.5		base))) and 707/\$.ccls.		0000 100 100
17	4284	(read\$3 or access\$4) with ((new or shadow	USPAT	2003/02/20 14:47
		or reorganized) near (table or object or		
		database or (data adj base)))		
18	210	707/\$.ccls. and ((read\$3 or access\$4) with	USPAT	2003/02/20 14:47
		((new or shadow or reorganized) near		
		(table or object or database or (data adj		
		base))))		
19	188	(database or (data adj base)) with	USPAT	2003/02/20 14:56
		(reorganiz\$5)		
20	8	((read\$3 or access\$4) with ((new or shadow	USPAT	2003/02/20 16:01
		or reorganized) near (table or object or		
		database or (data adj base)))) and		
		((database or (data adj base)) with		
		(reorganiz\$5))		
	1	6026412.pn.	USPAT	2003/02/20 16:05
21	1	0020:12:p	002111	
22	1 4	6026412.URPN.	USPAT	2003/02/20 16:02

24	97	(((reorganiz\$5 with (table or database or	USPAT	2003/02/20 16:44
24	]	object or (data adj base)))) and third)	USPAI	2003/02/20 10:44
		and (707/\$.ccls.) and log\$4		
25	24062	table with log\$4	USPAT	2003/02/20 16:45
			USPAT	2003/02/20 16:45
26	40		USPAT	2003/02/20 16:45
27	/	(markers with table with log\$4) and (707/\$.ccls.)	USPAI	2003/02/20 16:46
28	2112		USPAT	2003/02/20 16:52
29	7	((markers with table with log\$4) and	USPAT	2003/02/20 16:47
		(707/\$.ccls.)) and (table with marker)		
30	860	log\$4 with thread	USPAT	2003/02/20 16:52
31	188	(reorganiz\$5 with (database or (data adj base)))	USPAT	2003/02/20 16:53
32	5	(log\$4 with thread) and ((reorganiz\$5 with (database or (data adj base))))	USPAT	2003/02/20 17:02
33	0	(from near table) with log\$4	USPAT	2003/02/20 17:04
34	2112		USPAT	2003/02/20 17:04
35	128	marker adj table	USPAT	2003/02/20 17:05
36	36	(marker adj table) and log\$4	USPAT	2003/02/20 17:05
37	13	(marker adj table) and (log or logging or	USPAT	2003/02/20 17:06
		logged)		
38	2	(marker adj table) same (log or logging or logged)	USPAT	2003/02/20 17:06
_	17	("5995958" "5991761" "5983239" "5943677" "5940832" "5933820" "5893924" "5848416" "5822780" "5788392" "5778377" "5761667" "5721915" "5596747" "551020" "5455945" "5422979" "5325505").pn.	USPAT	2003/02/13 09:51
-	18	("5995958" "5991761" "5983239" "5943677" "5940832" "5933820" "5893924" "5848416" "5822780" "5788392" "5778377" "5761667" "5721915" "5596747" "5551020" "5455945" "5422979" "5325505").pn.	USPAT	2003/02/10 13:46
-	18	("5995958" "5991761" "5983239" "5943677" "5940832" "5933820" "5893924" "5848416" "5822780" "5778392" "5778377" "5761667" "5721915" "5596747" "5551020" "5455945" "5422979" "5325505").pn.	USPAT	2003/02/10 16:44

				122122
-	49	("5893094"	USPAT	2003/02/10 17:44
		"6112204"		
		"6253193"		
		"6363488"		
		"6389402"		i
		"6427140"		
ļ		"6098070"		1
		"5987454"		1
		"5950194"		
		"6026395"	1	1
		"6055531"		
		"5544049"		1.4
		"5903890"	†	
		"5392428"		
		"5631984"		1
		"5926811"		1
		"6006225"		
		"6169986"		l i
		"5870770"		1
		"5876926"		1
		"5841369" "5544353"		
		"5544352"		
		"6041331"		
	}	"5860087"		
		"4380009"	i i	
		"6179332"		
		"5857185"		
		"6292830" "5920878"		
		"6263351"		
		"5832494"		
		3632494   "6233571"		
		"6233371"   "6144958"		1
		"6134660"		!
		"6282281"		i
		0202201   "6466570"	4	1
		"6282362"	1	1.
		"6026187"		1
		"5988334"		1
		"5497419"		[
	-	"5646994"		1
		"6212518"		
		"6212518"		
		"5946669"		l i
		"6119107"		
	1	"5828301"		l ·
		"6046696"	İ	1
		"6278992"	i	
		"6094649"		i .
		"6151604").pn.		
	[			
_	28	(reorganiz\$5 with (database or (data adj	USPAT	2003/02/10 17:59
		base) or table)).ab.		
_	13	((reorganiz\$5 with (database or (data adj	USPAT	2003/02/10 17:49
		base) or table)).ab.) and ((707/200		1
1	]	707/201 707/202 707/204 707/205		
	1	707/206).ccls.)		
-	10	(((reorganiz\$5 with (database or (data adj	USPAT	2003/02/10 17:58
		base) or table)).ab.) and ((707/200	7 111	
		707/201 707/202 707/204 707/205		
		707/206).ccls.)) and lock		
-	433	trigger adj lock	USPAT	2003/02/10 17:59
-	279	(reorganiz\$5 with (database or (data adj	USPAT	2003/02/10 18:00
		base) or table))	1	
-	65	((reorganiz\$5 with (database or (data adj	USPAT	2003/02/10 18:01
		base) or table))) and ((707/200 707/201		
		707/202 707/204 707/205 707/206).ccls.)		
-	1	(trigger adj lock) and ((707/200 707/201	USPAT	2003/02/10 18:03
		707/202 707/204 707/205 707/206).ccls.)		
_	410		USPAT	2003/02/11 10:10

	,	,,		
-	8	oracle.as. and ((reorg or reorganization)	USPAT	2003/02/11 09:10
		with (database or (data adj base) or		
		tablespace or table))		
-	0	platinum and (oracle.as. and ((reorg or	USPAT	2003/02/11 09:10
	:	reorganization) with (database or (data		
		adj base) or tablespace or table)))		
_	2558		USPAT	2003/02/11 10:09
		707/206).ccls.		
-	48	' ' '	USPAT	2003/02/11 10:09
		or (data adj base) or tablespace or		
		table)) and ((707/200 707/201 707/202		
		707/204 707/205 707/206).ccls.)		
_	8	oracle.as. and ((reorg or reorganiz\$5)	USPAT	2003/02/11 10:10
		with (database or (data adj base) or		
İ	60	tablespace or table))		0000/00/11 10 10
_	69	((707/200 707/201 707/202 707/204 707/205	USPAT	2003/02/11 10:10
		707/206).ccls.) and ((reorg or		
		reorganiz\$5) with (database or (data adj		
	32	base) or tablespace or table))   (((707/200 707/201 707/202 707/204 707/205	USPAT	2003/02/11 16:04
_	32	707/206).ccls.) and ((reorg or	USPAI	2003/02/11 16:04
		reorganiz\$5) with (database or (data adj		
		base   or tablespace or table   base   bas		
		(trigger or lock\$3)		
	1	6026412.pn.	USPAT	2003/02/11 17:45
	1	6026412.pn.	USPAT	2003/02/11 17:43   2003/02/12 09:08
	1	6026412.pn.	USPAT	2003/02/12 09:08
L	4	UUZUAIZ.UNFN.	USPAL	2003/02/12 09:08

Γ	1	/#5517641#	110555	0000/00/10 15 15
-	49	("5517641"	USPAT	2003/02/12 16:43
		"5758357"		
		"5887274"		
		"6144970"		
		"5222235"		
		"5873091"		
		"6122640"		
		"5408654"		
	+	"5713023"		
		"6070170"		
		"5881379"		
		"5933820"		
		"5519861"		
		"5721915"		
		"5963959"		
		"6026412"		i
		"6460048"		
		"6272495"		
		"5390327"		
		"6226399"	ļ	
		"6226399"		
		"6343296"	1	
		"6163783"		
		"5579515"		
		"5812998"		
		"6058372"	1	
		"5446887"		
		"5504888"		
		"5522068"		
		"5915259"		
		"5991761"		
		"6411964"		
		"6418443"		
		"6023707"		
		"5745904"		
		"6477535"		
		"5819281"		
		"5943674 <b>"</b>		
		"5907709"		
		"5909580"		
		"5940490"		
		"6003025"		
		"5930801"		
		"5991765"		
		"5873093"		
		"6122641"		
		"6178519"		
		"6240413"		
		"5566330"		
		"5715413").pn.		
_	1	6070170.pn.	USPAT	2003/02/12 16:47
1	1	6460048.pn.	USPAT	2003/02/12 10:47
14	1	6122640.pn.	USPAT	2003/02/12 17:25
	1	6026412.pn.	USPAT	2003/02/12 17:25
		0020412.pm.	OSERI	2005/02/15 11.50
	7	(("6122640" "6519613" "6411964" "6144970"	USPAT	2003/02/13 12:15
IT III	/	"6026412" "6070170" "6460048").pn.) and	USEAL	2003/02/13 12.13
		(structur\$2)		1. 1
11	04600		HCDAM	2003/02/13 12:15
II.	84680		USPAT	2003/02/13 12:15
ΙĪ	5	(read adj only) and (("6122640" "6519613"	USPAT	2003/02/13 12:16
		"6411964" "6144970" "6026412" "6070170"		
		"6460048").pn.)	HCDAM	2002/00/12 15:30
ī		6519613.URPN.	USPAT	2003/02/13 15:39
(T	5	6122640.URPN.	USPAT	2003/02/13 15:39
7	0	6460048.URPN.	USPAT	2003/02/13 15:41
7	2	(("6122640" "6519613" "6411964" "6144970"	USPAT	2003/02/14 09:26
		"6026412" "6070170" "6460048").pn.) and	7 4 1	
		(constraint or integrity)		0000400455
-	227	<pre>(constraint or integrity) ((integrity or relational) near constraints)</pre>	USPAT	2003/02/13 16:10

-	12		USPAT	2003/02/13 16:11
		(data adj base) or tablespace or table)) and (((integrity or relational) near		į
		constraints))		
_	101	((reorg or reorganiz\$5) with (database or	USPAT	2003/02/13 16:41
	101	(data adj base) or tablespace or table))	0021111	
		and (constraint or integrity)		
-	67	(((reorg or reorganiz\$5) with (database or	USPAT	2003/02/14 08:51
		(data adj base) or tablespace or table))		
		and (constraint or integrity)) and		
		707/\$.ccls.		
-	285	''	USPAT	2003/02/14 08:51
		(data adj base) or tablespace or table))		
-	145		USPAT	2003/02/14 08:52
	2.1	relationship or constraint))	USPAT	2003/02/14 08:52
_	21	<pre>(((reorg or reorganiz\$5) with (database or (data adj base) or tablespace or table)) )</pre>	USPAT	2003/02/14 08:32
		and (((reorg or reorganiz\$5) same	A V .	'
		(integrity or relationship or		1
		constraint)))		
_	5	' ' '	USPAT	2003/02/14 10:08
		"6026412" "6070170" "6460048").pn.) and		
		(constraint or integrity or relationship) .	A I I	
-	580	((reorg or rebuild\$3 or reorganiz\$5) with	USPAT	2003/02/14 10:08
		(database or (data adj base) or table or		
		tablespace))		
-	10988	((lock\$3 or block\$3 or deny\$3 or ("not"	USPAT	2003/02/14 10:13
		near allow\$3)) with ((referen\$4 or another		
		or different or link\$3) with (table or		
	55	object or tablespace))) (((reorg or rebuild\$3 or reorganiz\$5) with	USPAT	2003/02/14 10:13
_	23	((database or (data adj base) or table or	USFAI	2003/02/14 10.13
		tablespace))) and (((lock\$3 or block\$3 or		
		deny\$3 or ("not" near allow\$3)) with		
	Ì	((referen\$4 or another or different or		
		link\$3) with (table or object or		
		tablespace))))		
i –	20	((((reorg or rebuild\$3 or reorganiz\$5)	USPAT	2003/02/14 11:18
		with (database or (data adj base) or table		
		or tablespace))) and (((lock\$3 or block\$3		
		or deny\$3 or ("not" near allow\$3)) with		
		<pre>((referen\$4 or another or different or link\$3) with (table or object or</pre>		
		tablespace))))) and (707/\$).ccls.		
_	565	(object adj oriented) with (relational)	USPAT	2003/02/14 11:10
		with (database or table or (data adj		
		base))		
-	65	((object adj oriented) with (relational)	USPAT	2003/02/14 11:18
		with (database or table or (data adj		
	7	base))).ab.		
-	76	((object near oriented) near (database or	USPAT	2003/02/14 11:20
		(data adj base))) with table	Hans	0000/00/14 01 05
-	59	(((object near oriented) near (database or	USPAT	2003/02/14 11:20
		(data adj base))) with table) and (707/\$).ccls.		
_	182	((object near oriented) near (database or	USPAT	2003/02/14 11:25
- 9	102	(data adj base))) same table	OSFAI	2003/02/14 11.23
2   1	138	(((object near oriented) near (database or	USPAT	2003/02/14 11:25
	150	(data adj base))) same table) and		
		(707/\$).ccls.		
-	5	((((object near oriented) near (database	USPAT	2003/02/14 11:26
		or (data adj base))) same table) and		
		(707/\$).ccls.) and ((reorg or reorganiz\$5)		
		with (database or (data adj base)))	ant-	0000/00/11 11 0=
<del> </del>	636	((object near oriented) near (database or	USPAT	2003/02/14 11:25
	435	(data adj base))) and (object same table)	HEDAM	2003/02/14 11-25
7	435	(((object near oriented) near (database or (data adj base))) and (object same table))	USPAT	2003/02/14 11:25
		and (707/\$).ccls.		
		una (10114).CC13.	L	

-	8	((((object near oriented) near (database	USPAT	2003/02/14 11:26
		or (data adj base))) and (object same		
		table)) and (707/\$).ccls.) and ((reorg or		
		reorganiz\$5) with (database or (data adj		
		base)))		
_	11	("5509131"   "5701470"   "5881379"	USPAT	2003/02/14 11:59
		"5933820"   "5956718"   "6009476"		
		"6035391"   "6049797"   "6092072"		
		"6122640"   "6144970").PN.		
-	0	(("6122640" "6519613" "6411964" "6144970"	USPAT	2003/02/14 16:09
		"6026412" "6070170" "6460048").pn.) and		
		(archiv\$3)		1
-	100519	((archiv\$3 or stor\$3 or sav\$3) with	USPAT	2003/02/14 16:10
		(original or old or source))		
_	4	(("6122640" "6519613" "6411964" "6144970"	USPAT	2003/02/14 17:14
		"6026412" "6070170" "6460048").pn.) and		
		(((archiv\$3 or stor\$3 or sav\$3) with		
		(original or old or source)))		
_	57		USPAT	2003/02/14 17:20
-	15	((lock with (error near message)) and	USPAT	2003/02/14 17:15
		(707/\$.ccls.)) and (database or (data adj		
		base))		
-	15	(lock with (error near message)) and	USPAT	2003/02/14 17:20
		(707/\$.ccls.)	1	
-	4465	lock with (error)	USPAT	2003/02/14 17:20
_	83	(lock with (error)) and (707/\$.ccls.)	USPAT	2003/02/14 17:22
-	150	(reorg or reorganization) with (database	USPAT	2003/02/14 17:21
	205	or (data adj base) or tablespace or table)		0000/00/14 17 01
_	285	(reorg or reorganiz\$5) with (database or	USPAT	2003/02/14 17:21
		(data adj base) or tablespace or table)	110000	2002/02/14 17 21
_	0	((lock with (error)) and (707/\$.ccls.))	USPAT	2003/02/14 17:21
		and ((reorg or reorganiz\$5) with (database		T .
		or (data adj base) or tablespace or		
_	509	table))   (("not" near (allow\$3 permit\$4	USPAT	2003/02/14 17:27
	309	permission)) or (deny\$3 or denie\$1 or	USPAI	2003/02/14 17:27
		disregard\$3)) with (lock)		
_	14	((lock with (error)) and (707/\$.ccls.))	USPAT	2003/02/14 17:27
	1 1	and ((("not" near (allow\$3 permit\$4	USIAI	2003/02/14 17.27
		permission)) or (deny\$3 or denie\$1 or		
		disregard\$3)) with (lock))		
_	5	(("6122640" "6519613" "6411964" "6144970"	USPAT	2003/02/14 17:53
		"6026412" "6070170" "6460048").pn.) and	001111	2000/02/14 17:55
		(read adj only)		
_	1	(("6122640" "6519613" "6411964" "6144970"	USPAT	2003/02/19 15:26
		"6026412" "6070170" "6460048").pn.) and	001	2303,02,13 13:20
		(ddl or (data near definition near		
		language))		
1	0		USPAT	2003/02/19 15:27
		definition near language))		
14	5	(read adj only) same (ddl or (data near	USPAT	2003/02/19 15:31
		definition near language))		
-	19	(reorganiz\$5 with (database or (data adj	USPAT	2003/02/19 16:01
		base))) and (ddl or (data near definition		
		near language))		
_	1	6122640.pn. and log\$4	USPAT	2003/02/19 16:01
-	7	("6122640" "6519613" "6411964" "6144970"	USPAT	2003/02/20 09:42
		"6026412" "6070170" "6460048").pn.		
-	1	(("6122640" "6519613" "6411964" "6144970"	USPAT	2003/02/20 10:50
		"6026412" "6070170" "6460048").pn.) and		i
		thread		
	·		· <del> </del>	



> home : > about : > feedback US Patent & Trademark Office

09713479

Search Results

Search Results for: [(marker <sentence> (table <or> database <or> (data <near> base)))<AND>((((log <or> logging <or> logs <or> logged) <sentence> marker)) )]

Found **9** of **106,884 searched.**  $\rightarrow$  Rerun within the Portal

Search	within	Results

Title

short listing

> Advanced Search

Binder 🕏

**Score** 

> Search Help/Tips

Sort by:

Results 1 - 9 of 9

1 Scalable high-speed prefix matching

**Publication** 

100%

Marcel Waldvogel , George Varghese , Jon Turner , Bernhard Plattner ACM Transactions on Computer Systems (TOCS) November 2001 Volume 19 Issue 4

**Publication Date** 

Finding the longest matching prefix from a database of keywords is an old problem with a number of applications, ranging from dictionary searches to advanced memory management to computational geometry. But perhaps today's most frequent best matching prefix lookups occur in the Internet, when forwarding packets from router to router. Internet traffic volume and link speeds are rapidly increasing; at the same time, a growing user population is increasing the size of routing tables against which p ...

2 Analysis of educational media server workloads

100%

Jussara M. Almeida , Jeffrey Krueger , Derek L. Eager , Mary K. Vernon 11th International workshop on on Network and Operating Systems support for digital audio and video January 2001

This paper presents an extensive analysis of the client workloads for educational media servers at two major U.S. universities. The goals of the analysis include providing data for generating synthetic workloads, gaining insight into the design of streaming content distribution networks, and quantifying how much server bandwidth can be saved in interactive educational environments by using recently developed multicast streaming methods for stored content.

3 Segmented fuzzy checkpointing for main memory databases Jun-Lin Lin, Margaret H. Dunham

100%

Proceedings of the 1996 ACM symposium on Applied Computing February 1996

4 Packet classification using tuple space search

100%